

# **SAFETY DATA SHEET**

Product Name BRADYS BONDING PLASTER

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier name BGC PLASTERBOARD PTY LTD

Address 290 Bushmead Road, Hazelmere, WA, 6055, AUSTRALIA

**Telephone** (08) 9374 2900 **Fax** (08) 9374 2901

**Emergency** 13 11 26 (Poison Information Centre)

Synonym(s) BONDING PLASTER
Use(s) PLASTER ADHESIVE

**SDS date** 16 July 2013

## 2. HAZARDS IDENTIFICATION

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

**RISK PHRASES** 

None allocated

**SAFETY PHRASES** 

None allocated

# NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN numberNone AllocatedDG classNone AllocatedPacking groupNone AllocatedSubsidiary risk(s)None Allocated

Hazchem code None Allocated

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	Identification	Classification	Content
CALCIUM HYDROXIDE	CAS: 1305-62-0 EC: 215-137-3	C;R34	0.3 to 0.5%
CALCIUM SULPHATE HEMIHYDRATE	CAS: 10034-76-1 EC: 600-067-1	Not Available	99%
CELLULOSE ETHER	Not Available	Not Available	0.45 to 0.55%
PLASTER RETARDER	Not Available	Not Available	0.035 to 0.045%

#### 4. FIRST AID MEASURES

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until

advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running

water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If

swallowed, do not induce vomiting.

Advice to doctor Drinking glycerin, gelatin solutions, or large volumes of water may delay the hardening of this product



Page 1 of 5 SDS Date: 16 Jul 2013 **Product Name BRADYS BONDING PLASTER** 

in the stomach. Surgical relief of obstruction, particularly at the phlorus, may be required.

First aid facilities Eye wash facilities and safety shower should be available.

# 5. FIRE FIGHTING MEASURES

**Flammability** Non flammable. May evolve toxic gases (sulphur oxides) when heated to decomposition.

Fire and explosion Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation.

> Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers

and nearby storage areas.

**Extinguishing** Use an extinguishing agent suitable for the surrounding fire.

Hazchem code None Allocated

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear Personal Protective Equipment (PPE) as detailed in Section 8 of this SDS.

Prevent product from entering drains and waterways. **Environmental precautions** 

Methods of cleaning up Moisten with water to prevent a dust hazard and place in sealable containers for disposal.

References See Sections 8 and 13 for exposure controls and disposal.

## 7. STORAGE AND HANDLING

Storage Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs.

Ensure containers are tightly sealed, adequately labelled and protected from physical damage.

Before use carefully read the product label. Use of safe work practices are recommended to avoid Handling

eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before

eating. Prohibit eating, drinking and smoking in contaminated areas.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# **Exposure standards**

Ingredient	Reference	TWA		STEL	
ingredient		ppm	mg/m³	ppm	mg/m³
Calcium hydroxide	SWA (AUS)		5		

**Biological limits** No biological limit allocated.

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction **Engineering controls** 

ventilation is recommended. Maintain dust levels below the recommended exposure standard.

**PPE** 

Wear dust-proof goggles. Eye / Face Hands Wear PVC or rubber gloves.

When using large quantities or where heavy contamination is likely, wear coveralls. **Body** 

Where an inhalation risk exists, wear a Class P1 (Particulate) respirator. Respiratory





## 9. PHYSICAL AND CHEMICAL PROPERTIES

WHITE POWDER **Appearance** SLIGHT ODOUR Odour

ChemAlert.

Page 2 of 5 16 Jul 2013

#### Product Name BRADYS BONDING PLASTER

NON FLAMMABLE **Flammability** Flash point NOT RELEVANT **Boiling point NOT AVAILABLE NOT AVAILABLE Melting point Evaporation rate NOT AVAILABLE NOT AVAILABLE** pН Vapour density **NOT AVAILABLE NOT AVAILABLE** Specific gravity **NOT AVAILABLE** Solubility (water) Vapour pressure NOT AVAILABLE Upper explosion limit NOT RELEVANT Lower explosion limit NOT RELEVANT Partition coefficient NOT AVAILABLE **Autoignition temperature** NOT AVAILABLE **Decomposition temperature** NOT AVAILABLE NOT AVAILABLE Viscosity **Explosive properties** NOT AVAILABLE **Oxidising properties** NOT AVAILABLE **Odour threshold NOT AVAILABLE** % Volatiles **NOT AVAILABLE** 

## 10. STABILITY AND REACTIVITY

Chemical stability Stable under recommended conditions of storage.

Conditions to avoid Avoid contact with incompatible substances.

Material to avoid Incompatible with aluminium (when heated), diazomethane, phosphorus (at high temperatures) and

oxidising agents.

**Hazardous Decomposition** 

**Products** 

May evolve toxic gases (sulphur oxides) when heated to decomposition.

Hazardous Reactions Polymerization will not occur.

# 11. TOXICOLOGICAL INFORMATION

Health Hazard

Low toxicity - irritant. Use safe work practices to avoid eye or skin contact and inhalation. This

Summary

Low toxicity - irritant. Use safe work practices to avoid eye or skin contact and inhalation. This

product is generally considered to be of low toxicity, however over exposure to dust should be

avoided.

Eye Irritant. Contact may result in irritation, lacrimation, pain and redness.

Inhalation Irritant. Over exposure may result in irritation of the nose and throat, with coughing.

**Skin** Irritant. Contact may result in irritation, redness, pain and rash.

Ingestion Low toxicity. Ingestion may result in gastrointestinal irritation, nausea, vomiting, headache and

diarrhoea.

Toxicity data CALCIUM HYDROXIDE (1305-62-0)

LD50 (ingestion) 7300 mg/kg (mouse)

CELLULOSE ETHER

LD50 (ingestion) > 5 g/kgLD50 (skin) > 5 g/kg

## 12. ECOLOGICAL INFORMATION

Toxicity No information provided.

Persistence and degradability No information provided.

Bioaccumulative potential No information provided.

Mobility in soil No information provided.

Other adverse effects The main component/s of this product are not anticipated to cause any adverse effects to plants or

animals.



SDS Date: 16 Jul 2013

## 13. DISPOSAL CONSIDERATIONS

Waste disposal Reuse where possible. No special precautions are required for this product.

Dispose of in accordance with relevant local legislation. Legislation

## 14. TRANSPORT INFORMATION

#### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
UN number	None Allocated	None Allocated	None Allocated
Proper shipping name	None Allocated	None Allocated	None Allocated
DG class/ Division	None Allocated	None Allocated	None Allocated
Subsidiary risk(s)	None Allocated	None Allocated	None Allocated
Packing group	None Allocated	None Allocated	None Allocated
Hazchem code	None Allocated		

# 15. REGULATORY INFORMATION

A poison schedule number has not been allocated to this product using the criteria in the Standard Poison schedule

for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**AUSTRALIA: AICS (Australian Inventory of Chemical Substances)** Inventory Listing(s)

All components are listed on AICS, or are exempt.

## 16. OTHER INFORMATION

#### **Additional information**

EXPOSURE STANDARDS - TIME WEIGHTED AVERAGES: Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

## HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



Page 4 of 5 16 Jul 2013

#### **Product Name BRADYS BONDING PLASTER**

Abbreviations **ACGIH** American Conference of Governmental Industrial Hygienists

> CAS# Chemical Abstract Service number - used to uniquely identify chemical compounds

**CNS** Central Nervous System

EC No. EC No - European Community Number

**GHS** Globally Harmonized System

**IARC** International Agency for Research on Cancer Lethal Dose, 50% / Median Lethal Dose LD50

mg/m<sup>3</sup> Milligrams per Cubic Metre PEL Permissible Exposure Limit

relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly pΗ

alkaline).

ppm Parts Per Million

REACH Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals

STOT-RE Specific target organ toxicity (repeated exposure) STOT-SE Specific target organ toxicity (single exposure)

Standard for the Uniform Scheduling of Medicines and Poisons **SUSMP** 

TLV Threshold Limit Value

TWA/OEL Time Weighted Average or Occupational Exposure Limit

#### **Revision history**

Revision	Description
1.1	Standard SDS Review
1.0	Initial SDS creation

#### Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

#### Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794

Email: info@rmt.com.au Web: www.rmt.com.au.

Revision: 1.1

SDS Date: 16 July 2013

End of SDS



Page 5 of 5 16 Jul 2013