



MATERIAL SAFETY DATA SHEET

Product Name **BRADYS INTERNATIONAL HARDWALL**

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name BGC PLASTERBOARD PTY LTD
Address 290 Bushmead Road, Hazelmere, WA, AUSTRALIA, 6055
Telephone (08) 9374 2900
Fax (08) 9374 2901
Emergency 13 11 26 (Poison Information Centre)
Synonym(s)

Use(s) PLASTER RENDER ON WALLS
MSDS Date 20 Nov 2008

2. HAZARDS IDENTIFICATION

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC CRITERIA

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No.	None Allocated	DG Class	None Allocated	Subsidiary Risk(s)	None Allocated
Packing Group	None Allocated	Hazchem Code	None Allocated	EPG	None Allocated

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
CALCIUM HYDROXIDE	Ca-O-H ₂	1305-62-0	0.15-0.25%
CALCIUM SULPHATE HEMIHYDRATE	Ca-O ₄ -S.1/2-H ₂ -O	10034-76-1	99.6%
PLASTER RETARDER	Not Available	Not Available	0.1-0.2%
CELLULOSE ETHER	Not Available	Not Available	0.01-0.05%

4. FIRST AID MEASURES

Eye If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poison Information Centre or a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting.

Advice to Doctor Drinking glycerin, gelatin solutions, or large volumes of water may delay the hardening of this product in the stomach. Surgical relief of obstruction, particularly at the phlorus, may be required.

5. FIRE FIGHTING MEASURES

Flammability Non flammable. May evolve toxic gases (sulphur oxides) when heated to decomposition.

Fire and Explosion Non flammable. Evacuate area and contact emergency services. Toxic gases (sulphur oxides) may be evolved when heated in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

PRODUCT NAME BRADYS INTERNATIONAL HARDWALL

Extinguishing Non flammable.

Hazchem Code None Allocated

6. ACCIDENTAL RELEASE MEASURES

Spillage If spilt (bulk), wear dust-proof goggles, PVC/rubber gloves, a Class P1 (Particulate) respirator (where an inhalation risk exists) and coveralls or protective clothing. Moisten with water to prevent a dust hazard.

7. STORAGE AND HANDLING

Storage Store in cool, dry, well ventilated area, removed from aluminium, diazomethane, phosphorus and foodstuffs. Ensure containers/ packages are adequately labelled, protected from physical damage and sealed when not in use.

Handling Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds	Ingredient	Reference	TWA		STEL	
			ppm	mg/m3	ppm	mg/m3
	Calcium hydroxide	ASCC (AUS)	--	5.0	--	--

Biological Limits No biological limit allocated.

Engineering Controls Do not inhale dust/ powder. Use with adequate natural ventilation. Where a dust inhalation hazard exists, mechanical extraction ventilation is recommended. Maintain dust levels below the recommended exposure standard.

PPE Wear dust-proof goggles and PVC or rubber gloves. When using large quantities or where heavy contamination is likely, wear: coveralls. Where an inhalation risk exists, wear: a Class P1 (Particulate) respirator.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	WHITE POWDER	Solubility (Water)	NOT AVAILABLE
Odour	SLIGHT ODOUR	Specific Gravity	NOT AVAILABLE
pH	NOT AVAILABLE	% Volatiles	NOT AVAILABLE
Vapour Pressure	NOT AVAILABLE	Flammability	NON FLAMMABLE
Vapour Density	NOT AVAILABLE	Flash Point	NOT RELEVANT
Boiling Point	NOT AVAILABLE	Upper Explosion Limit	NOT RELEVANT
Melting Point	NOT AVAILABLE	Lower Explosion Limit	NOT RELEVANT
Evaporation Rate	NOT AVAILABLE		

10. STABILITY AND REACTIVITY

Chemical Stability Stable under recommended conditions of storage.

Conditions to Avoid Avoid contact with incompatible substances.

Material to Avoid Incompatible with aluminium (when heated), diazomethane, phosphorus (at high temperatures) and oxidising agents.

Decomposition May evolve toxic gases (sulphur oxides) when heated to decomposition.

Hazardous Reactions Polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

Health Hazard Summary	Low toxicity - irritant. Under normal conditions of use adverse health effects are not anticipated. This product is generally considered to be of low toxicity, however over exposure to any dust should be avoided. Use safe work practices to avoid direct eye contact or prolonged skin contact and dust generation or inhalation.
Eye	Irritant. Contact may result in irritation, lacrimation, pain and redness.
Inhalation	Irritant. Over exposure may result in mucous membrane irritation of the nose and throat with coughing.
Skin	Irritant. Contact may result in irritation, redness, itching, pain and rash.
Ingestion	Low toxicity. Ingestion may result in gastrointestinal irritation, nausea, vomiting, headache and diarrhoea.
Toxicity Data	CALCIUM HYDROXIDE (1305-62-0) LD50 (Ingestion): 7300 mg/kg (mouse) CELLULOSE ETHER (Not Available) LD50 (Ingestion): > 5 g/kg LD50 (Skin): > 5 g/kg

12. ECOLOGICAL INFORMATION

Environment	The main component/s of this product occur naturally in the earth's crust. It is not anticipated to cause any adverse effects to plants or animals.
--------------------	---

13. DISPOSAL CONSIDERATIONS

Waste Disposal	Reuse where possible. No special precautions are required for this product.
Legislation	Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name	None Allocated				
UN No.	None Allocated	DG Class	None Allocated	Subsidiary Risk(s)	None Allocated
Packing Group	None Allocated	Hazchem Code	None Allocated	EPG	None Allocated

15. REGULATORY INFORMATION

Poison Schedule	A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).
AICS	All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information	EXPOSURE STANDARDS - TIME WEIGHTED AVERAGES: Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).
-------------------------------	---

ABBREVIATIONS:

ADB - Air-Dry Basis.
 BEI - Biological Exposure Indice(s)
 CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.
 CNS - Central Nervous System.
 EINECS - European INventory of Existing Commercial chemical Substances.
 IARC - International Agency for Research on Cancer.
 M - moles per litre, a unit of concentration.
 mg/m³ - Milligrams per cubic metre.
 NOS - Not Otherwise Specified.
 NTP - National Toxicology Program.
 OSHA - Occupational Safety and Health Administration.
 pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
 ppm - Parts Per Million.
 RTECS - Registry of Toxic Effects of Chemical Substances.
 TWA/ES - Time Weighted Average or Exposure Standard.

PRODUCT NAME BRADYS INTERNATIONAL HARDWALL

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Report Status

This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Material Safety Data Sheet ('MSDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this MSDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this MSDS.

Prepared By

Risk Management Technologies
5 Ventnor Ave, West Perth
Western Australia 6005
Phone: +61 8 9322 1711
Fax: +61 8 9322 1794
Email: info@rmt.com.au
Web: www.rmt.com.au

MSDS Date: 20 Nov 2008

End of Report